

Commercial POU water fountain

WCD219



- 1 Simple and classic in appearance, compounded molding by finger print free stainless steel, durable and always look as good as new.
 - 2 Hermetic internal bladder is made of excellent food-grade stainless steel 304, also with food grade brass internal tubing and connectors, healthy and safe.
 - 3 It has protection against electricity leakage, safe and reliable.
 - 4 Convenient and comfortable: purifying, cooling, all controlled automatically, need no special attention.
 - 5 Technology and human friendly, with unique constant temperature spray nozzle, easy to use and healthy.
 - 6 Shortcut connection and multi-grade purifying make the water much cleaner, it's also very easy to change filter.
 - 7 360 degree free turning gooseneck faucets, can fit any water bottle.
 - 8 Top brand and frozen-free compressor cooling system, can endure frequent switch on and off; Finned cooler and force cooling with a fan, provide strong cooling capability.
- High quality water fountain model, integrating comfort, luxury, safe, convenience in one body, widely used in places that need a lot of drinking water, such as home, coffee shop, catering, amusement and recreation place, office building, airport, commercial hall, industrial and mining enterprises, and other public places.



Commercial POU Water Fountain

ITEM		SPECIFICATIONS
Model		WCD219
Rated Voltage		220-240V 50Hz 110-120V 60Hz 127V/60Hz
Rated Power		200W (Force cooling system)
Cold	Compressor Type	Hermetic, with overload protector, R134a
	Cold Water Tank Capacity	4.2L(1.1Gallon)
	Cooling Capacity	20.0L/Hr(5.3Gallon) at 8-12°C (25-37°F) against ambient temperature 25°C (77°F)
Filter System		Available for selection
Faucet		One Goose neck faucet & one Muzzle
Pressure Device		Include decompression valve
Product Weight		25 kg (55.1lb)
Product Boxed Weight		26.5kg (58.4lb)
Product Dimensions		305 (D) x 315(W) x 1220(H)mm
Product Boxed Dimensions		320(D) x 330(W) x 1110(H)mm
Loading Quantity		20' 252 Units, 40' 518 Units
Required Water Pressure		0.07-0.5Mpa
Required water source		City water